



pm-tools

WWW.PMTOOLS.PL

***Product
catalog***

MOBILE CAR LIFTS



PART NR	PNEUMATIC PUMP
2,8 T	PMEX-260-115-28-A
3,5 T	PMEX-260-115-35-A
PART NR	ELECTRIC PUMP
2,8 T	PMEX-260-115-28-E
3,5 T	PMEX-260-115-35-E



width 1,15 m
length 2,6 m

PM EXTENDED 115

The mobile lifting platform **PM Extended Lift 115** is designed for detailing and car wrapping. This model lifts cars from Fiat 500 to BMW 7 Series Long, large SUVs like BMW X7, but also sports cars like Lamborghini. The parallelogram construction is very stable despite its low weight. It's very easy to move. The lift has 4 arms that can be rotated by 180 degrees. The 2 rear arms can also be moved in the longitudinal direction. Very big advantage is the access to the sills. With optionally available plastic ramps, the minimum drive-over height can be reduced to 55mm.

CARRYING CAPACITY:	2800 KG / 3500 KG
LIFT HIGH MAX:	1000 MM
LIFT HIGH MIN:	105 MM
POWER SUPPLY:	PNEUMATIC PUMP OR ELECTRIC PUMP 220V / 12V
TOTAL WEIGHT:	270 KG
DIMENSIONS:	LENGTH: 2600 MM WIDTH: 1150 MM
ARMS LENGTH:	480 MM
ARMS REACH:	2290 MM AT WIDTH 1090 MM 1340 MM AT WIDTH 2050 MM



WWW.PMTOOLS.PL



PART NR	PNEUMATIC PUMP
2,8 T	PMEX-260-107-28-A
3,5 T	PMEX-260-107-35-A
PART NR	ELECTRIC PUMP
2,8 T	PMEX-260-107-28-E
3,5 T	PMEX-260-107-35-E

BESTSELLER!



width 1,07 m
length 2,6 m

**PM EXTENDED
107**

The mobile car lift **PM Extended Lift 107** this is our base model, designed for body and car painting . This model lifts cars from Smart to Audi Q8. The parallelogram construction is very stable despite its low weight. It's easy to move. The lift has 4 arms that can be rotated by 180 degrees. The 2 rear arms can also be moved in the longitudinal direction. Often sold with wheels stands which allow for side body work. During this time, the lift can be used for another vehicle.

CARRYING CAPACITY:	2800 KG / 3500 KG
LIFT HIGH MAX:	1000 MM
LIFT HIGH MIN:	105 MM
POWER SUPPLY:	PNEUMATIC PUMP OR ELECTRIC PUMP 220V / 12V
TOTAL WEIGHT:	270 KG
DIMENSIONS:	LENGTH: 2600 MM WIDTH: 1070 MM
ARMS LENGHT:	480 MM
ARMS REACH:	2290 MM AT WIDTH 1005 MM 1340 MM AT WIDTH 1965 MM



MOBILE CAR LIFTS



PART NR	PNEUMATIC PUMP
2,8 T	PMEX-260-102-28-A
3,5 T	PMEX-260-102-35-A
PART NR	ELECTRIC PUMP
2,8 T	PMEX-260-102-28-E
3,5 T	PMEX-260-102-35-E



**PM EXTENDED
102**

width 1,02 m
length 2,6 m

The mobile lifting platform **PM Extended Lift 102** is a narrow model, designed for oldtimers, especially the English ones (TRV, Austin Healey, Triumph etc.) which have a small track width. The parallelogram construction is very stable despite it's low weight. It's easy to move. The lift has 4 arms that can be rotated by 180 degrees. The 2 rear arms can also be moved in the longitudinal direction. This model has additional stabilizing tabs. With our tire stands, complete restoration projects can be realized in your own garage.

CARRYING CAPACITY:	2800 KG / 3500 KG
LIFT HIGH MAX:	1000 MM
LIFT HIGH MIN:	105 MM
POWER SUPPLY:	PNEUMATIC PUMP OR ELECTRIC PUMP 220V / 12V
TOTAL WEIGHT:	270 KG
DIMENSIONS:	LENGTH: 2600 MM WIDTH: 1020 MM
ARMS LENGTH:	480 MM
ARMS REACH:	2290 MM AT WIDTH 940 MM 1340 MM AT WIDTH 1900 MM



WWW.PMTOOLS.PL

MOBILE CAR LIFTS



PART NR	PNEUMATIC PUMP
2,8 T	PMEX-310-115-28-A
3,5 T	PMEX-310-115-35-A
PART NR	ELECTRIC PUMP
2,8 T	PMEX-310-115-28-E
3,5 T	PMEX-310-115-35-E



PM EXTENDED PLUS 115

width 1,15 m
length 3,1 m

The mobile car lift **PM Extended Lift PLUS 115** is our popular long version of the car lift. Its 50cm longer and perfect from cars like Toyota Aygo to long wheelbase vans like Fiat Ducato L5 and therefore very universal.

Four arms can be rotated by 180 degrees and also be moved in the longitudinal direction.

The parallelogram construction is very stable despite it's low weight. It's easy to move.

CARRYING CAPACITY:	2800 KG / 3500 KG
LIFT HIGH MAX:	1000 MM
LIFT HIGH MIN:	105 MM
POWER SUPPLY:	PNEUMATIC PUMP OR ELECTRIC PUMP 220V / 12V
TOTAL WEIGHT:	310 KG
DIMENSIONS:	LENGTH: 3100 MM WIDTH: 1150 MM
ARMS LENGTH:	480 MM
ARMS REACH:	2765 MM AT WIDTH 1090 MM 1810 MM AT WIDTH 2050 MM



MOBILE CAR LIFTS



PART NR	PNEUMATIC PUMP
2,8 T	PMEX-310-107-28-A
3,5 T	PMEX-310-107-35-A
PART NR	ELECTRIC PUMP
2,8 T	PMEX-310-107-28-E
3,5 T	PMEX-310-107-35-E



PM EXTENDED PLUS 107

width 1,07 m
length 3,1 m

The mobile car lift **PM Extended Lift PLUS 107** allows you to lift from smaller moderns passenger cars to large VANs like Fiat Ducato with a medium wheelbase.

Four arms can be rotated by 180 degrees and also be moved in th longitudinal direction. The parallelogram construction is very stable despite it's low weight.

It's easy to move.

CARRYING CAPACITY:	2800 KG / 3500 KG
LIFT HIGH MAX:	1000 MM
LIFT HIGH MIN:	105 MM
POWER SUPPLY:	PNEUMATIC PUMP OR ELECTRIC PUMP 220V / 12V
TOTAL WEIGHT:	310 KG
DIMENSIONS:	LENGTH: 3100 MM WIDTH: 1070 MM
ARMS LENGTH:	480 MM
ARMS REACH:	2765 MM AT WIDTH 1005 MM 1810 MM AT WIDTH 1965 MM



WWW.PMTOOLS.PL

MOBILE CAR LIFTS



PART NR	PNEUMATIC PUMP
2,8 T	PMEX-310-102-28-A
3,5 T	PMEX-310-102-35-A
PART NR	ELECTRIC PUMP
2,8 T	PMEX-310-102-28-E
3,5 T	PMEX-310-102-35-E



width 1,02 m
length 3,1 m

PM EXTENDED PLUS 102

The mobile car lift **PM Extended Lift PLUS 102** is popular for customers who wanna lift oldtimers but also the long wheelbase VW T6 familyvan.

Four arms can be rotated by 180 degrees and also be moved in the longitudinal direction.

The parallelogram construction is very stable despite its low weight. It's easy to move.

CARRYING CAPACITY:	2800 KG / 3500 KG
LIFT HIGH MAX:	1000 MM
LIFT HIGH MIN:	105 MM
POWER SUPPLY:	PNEUMATIC PUMP OR ELECTRIC PUMP 220V / 12V
TOTAL WEIGHT:	310 KG
DIMENSIONS:	LENGTH: 3100 MM WIDTH: 1020 MM
ARMS LENGHT:	480 MM
ARMS REACH:	2765 MM AT WIDTH 940 MM 1810 MM AT WIDTH 1900 MM



pm-tools

WWW.PMTOOLS.PL

EXTENSION KIT

PART NR


PM-PLTF



MOTORCYCLE PLATFORM

The **motorcycle platform** is an additional extension set for our lifting platforms.

This allows to lift motorbikes, small quads, tractors, lawnmowers and is very often used as a lifting table for heavy machine parts.




WWW.PMTOOLS.PL

PUMPS

1 CHANNEL	2 CHANNEL
PM-A-6-300	PM-2W-HY-A

* 2 CHANNEL



PNEUMATIC PUMP

Light and compact hydro-pneumatic unit.
Pedal-operated.
Italian production.

POWER:	AIR 6-10 BAR, 600 L/MIN
MAX PRESSURE:	HYDRAULICS 300 BAR 1 CHANNEL
LIFTING TIME:	FROM 90 SEC DEPENDS ON THE COMPRESSOR
TOTAL WEIGHT:	15 KG
DIMENSIONS:	L: 420 MM, W: 200 MM, H: 230 MM
OPTIONS:	2 CHANNEL *, NON-SPILL QUICK COUPLING



PUMPS

PART NR	1 CHANNEL	2 CHANNEL
230 V	PM-E-230V-1	PM-E-230V-2
12 V	PM-E-12V-1	PM-E-12V-2




ELECTRIC PUMP



Pult unit, in house production based on European components.

POWER:	230 V 2200 W
MAX PRESSURE:	HYDRAULICS 210 BAR 1 CHANNEL
LIFTING TIME:	FROM 80 SEC
TOTAL WEIGHT:	60 KG, MOBILE
DIMENSIONS:	L: 365 MM, W: 365 MM, H: 1000 MM
OPTIONS:	2 CHANNEL *, NON-SPILL QUICK COUPLING *



* 2 CHANNEL
* NON-SPILL QUICK COUPLING

WWW.PMTOOLS.PL

CAR RAMPS

PART NR

PM-PLRA



PLASTIC RAMPS

The **plastic ramps** allow lowered vehicles to be lifted.
Height 50 mm, plate size 50 x 50 cm. The kit contains
16 plates + 2 wedges, total length: 2 x 4m.
Easy and quick assembly.
Maximum load: 9 t/m²



CAR RAMPS

PART NR

PM-AR



STEEL RAMPS

The **steel ramps** are ideal for tire service and allow to lift vehicles quickly. The ramps are simply pushed onto the arms.

Working area 160cm - 205cm, Width: 45cm.



WWW.PMTOOLS.PL

STANDS

HEIGHT
PM-RS-040
PM-RS-060
PM-RS-080
PM-RS-100



* 40 CM

WHEEL STANDS


Wheel stands made of steel are the perfect addition to paint and body work, but also in the private sector. They allow full access to the underbody and the components located there. Available heights: 40, 60, 80 and 100 cm, galvanized.



* 60 CM



* 80, 100 CM



pm-tools

WWW.PMTOOLS.PL

STANDS

QUANTITY OF ROLLS

PM-FOL10

PM-FOL16

PM-FOL20

PM-FOL30



FOIL RACKS

Foil Racks help to keep the rolls safe and in a small space. A supporting pillar allows the roll to be pushed directly onto the profile, saving additional work steps and making handling easier. In addition to the standard version for 20 and 30 rolls, we also implement individual projects.



WWW.PMTOOLS.PL

STANDS

PART NR

PM-OPAL

max grip diameter 69 mm

min grip diameter 52 mm

height 80 cm, weight 3,5 kg



HEAT GUN STAND

Heat gun stand.

It works perfectly for car wrapping as well as for advertising agencies specializing in wrapping. The stand is relatively lightweight, and thanks to the handle, you can safely move it to any place. It fits most heat guns available on the market, but if necessary, we can customize the stand to fit your heat gun. The standard colors for the stand are: red, black, and anthracite.



SYSTEMS

PART NR

PM-VERL



LOADING SYSTEM

The **loading system** allows you to load the lift on a van or a trailer by yourself.
The set includes 2 handles.



WWW.PMTOOLS.PL

PART NR

PM-SLR



MOBILE SYSTEM

The **mobile system** enables optimization of work processes in body shops and paint shops. Attachment to the arms of our PM lift Extended / Plus in a very simple and fast way. Each of the castors can be loaded with up to 800 kg. The set contains 4 rolls.



SYSTEMS

PART NR

PM-OFFR



SYSTEM OFFROAD

Additional set of inflatable wheels that can be mounted on any lift.


Perfect for uneven surfaces.

The set includes 2 wheels.



WWW.PMTOOLS.PL


RUBBER BLOCKS



RUBBER BLOCKS

Rubber blocks for lifting. When the standard rubber pads are not high enough or the vehicles are to be lifted directly on the frame.

We offer 5 types of toppings in different sizes:
160x120x20 mm, 102x100x72 mm,
200x113x42 mm, 130x110x25 mm (rounded).



pm-tools

ul. Małorolnych 10 B
66-400 Gorzów Wlkp.
POLAND

✉ info@pmtools.pl
☎ PL +48 501 382 847



WWW.PMTOOLS.PL